Gayanilo, F.C., Sparre, P., Pauly, D. 1996. *The FAO-ICLARM Stock Assessment Tools II (FiSAT II) users guide*, FAO computerized information series, fisheries, FAO, Rome, Italy, 126 pp.

Gulland, J.A. 1965. Estimation of mortality rates. In: Cushing P. H. (eds) Key Papers on Fish Populations, IRL Press, Oxford. 231-241.

Hemachandra, Tenjing, SY., Thippeswamy, S. 2017. Population dynamics of the Asian green mussel *Perna viridis* (L.) from St. Mary's islands off Malpe, India. Indian Journal of Geo Marine Sciences, 46(08): 1659-1666.

Kamal, D., Khan, Y.S.A. 1998. Growth of The Green Mussel, *Perna viridis* (Linn. 1758), from Moheshkhali Channel of the Bay of Bengal, Bangladesh. Pakistan Journal of Marine Science, 7(1): 45-55.

Karayücel, S., Karayücel, İ. 1999. Growth and mortality of mussels (*Mytilus edulis* L.) reared in lantern nets in Loch Kishorn, Scotland. Tr. J. Vet. Anim. Sci, 23: 397-402

Kassim, Z., Mohd Luthfi Omar and Safiah Jasmani. 2017. Population Growth of Green Mussel, *Perna viridis*, Linnaeus from Southern Part of the Malacca Straitis. Malays. Appl. Biol, 46(2): 149–152.

Khan, A.A.M., Assim, Z.B., Ismali, A. 2010. Population Dynamics of the Green-Lipped Mussel, *Perna viridis* from the Offshore Waters of Naf River Coast, Bangladesh. Chiang Mai J. Sci, 37(2): 344-354. www.science.cmu.ac.th/journal-science/josci-html

Krampah, E.A., Yankson, K., Blay, J. 2019. Population dynamics of the Brown mussel *Perna perna* at a Rocky beach near Cape Coast, Ghana. Marine Ecology, 1-9. https://doi.org/10.1111/maec.12575

Lee S.Y. 1985. Population dynamics of the green mussel *Perna viridis* (L.) (Bivalvia, Mytilidae) in Victoria Harbour, Hong Kong, dominance in a polluted environment. Asian Mar. Biol, 2:107-118.

Lutz, R.A. 1980. Mussel culture and harvest: A North American perspective. *Elsevier, Amsterdam*, 350 pp.

Narasimham, K.A. (1981. Dimensional relationships and growth of green mussel *Perna viridis* in Kakinada Bay, Indian J. Fish, 28: 240-248.

Newman, S.J. 2002. Growth, age estimation and mortality in the moses perch, *Lutjanus russelli* (Indian ocean from) from continental shelf waters off north-western Australia. Asian Fish. Sci, 15:283-294.

Nural Amin, S. M., Halim, M. A., Barua, M., Zafar, M. and Arshad, A. 2005. Population Dynamic and Exploitation Level of Green-Lipped Mussel (*Perna viridis*) Using FiSAT from the Offshore Island of Cox's Basar Coast of Bangladesn. Pertanika J. Trop. Agric. Sci, 28(2): 103-109.

Pauly, D. 1979. Gill size and temperature as governing factors in fish growth: A generalization of von Betalanffy's growth formula. Berichte des Instituts Für Meereskunde an der Univ. Kiel, 63:156 pp.

Pauly, D. 1980. On the interrelationships between natural mortality, growth parameters and mean environmental temperature in 175 fish stocks. Journal Du Conseil, CIEM. 39(3): 175-192.

Pauly, D. 1984. Length-converted catch curves: A powerful tool for fisheries research in the tropics. Part II. Fisheries Byte, 2: 12-19.

Pauly, D., Caddy, J. F. 1985. A modification of Bhattacharya's method for the analysis of mixtures of normal distributions. *FAO Fishery Circular*, 781pp.

Pauly, D., David, N. 1981. ELEFAN-1 BASIC program for the objective extraction of growth parameters from length frequency data, Meeresforscbung, 28(4): 205-211.

Pauly, D., Munro, J. L. 1984. Once more on the comparison of growht in fish and invertebrate. International Center for Living Aquatic Resource Management. Fishery Byte, 2: 21.

Pauly, D., Soriano-Bartz, M., Moreau, J. and Jarre, A. 1992. A new model accounting for seasonal cessation of growth in fishes. Aust. J. Mar. Freshwater Res, 43: 1151-1156.

Qasim, S.Z. 1973. Some implications of the problem of age and growth in Marine Fishes from Indian water. India Journal of Fisheries, 20: 351-371.

Rajagopal, S., Venugopalan, V. P., Nair, K. V. K., Van der Velde, G., and Jenner, H. A. 2006. Mussel colonization of a high ow articial benthic habitat: Byssogenesis holds the key. Marine Environmental Research, 62: 98-115.

Rivonkar, C.U., Sreepada, R.A., Parulekar, A. H. 1993. Growth parameters in the cultured green mussel *Perna viridis* L. from the Zuari Estuary, Goa. Indian. J. Mar. Sc, 22: 72-74.

Saritha, K., Mary, D., Patterson, J. 2015. Nutritional Status of Green Mussel *Perna Viridis* at Tamil Nadu, Southwest Coast of India. Journal of Nutrition & Food Science S14: 003, 1-4.

Sparre, P., Venema, S. C. 1992. *Introduction to Tropical Fish Stock Assessment*. FAO Fishery Technical Paper. No. 306.1, Rev.2. Rome, FAO. 376pp

Taib, A. M., Madin, J., Ransangan, J. 2016. Density, recruitment and growth performance of Asian green mussel (*Perna viridis*) in Marudu Bay, Northeast Malaysian Borneo, three years after a massive mortality event. Songklanakarin J. Sci. Technol, 38(6): 631-639.

Thejasvi, A. 2016. Ecological studies of the green mussel Perna viridis from intertidal region of Mukka and subtidal region of Karwar along Karnataka Coast, India. PhD Thesis. Department of Biosciences, Mangalore University, Karnataka, India. 126-135.

Tremblay, R., Myrand, B., Guderley, H. 1998. Temporal variation of lysosomal capacities in relation to susceptibility of mussels, *Mytilus edulis*, to summer mortality. Mar. Biol, 132: 641-649.

Tuaycharoen, S., Vakily, J.M., Saelow, A., McCoy, E. W. 1988. Growth and maturation of the green mussel (*Perna viridis*) in Thailand. In: McCoy, E. W. and Chongpeepien, T. (Eds.), *Bivalve mollusc culture research in Thailand*. ICLARM Technical Reports, 19: 88-101.

Weber, W. 1976. The influence of hydrographic factors on the spawning time of tropical fish. In K. Tiews (Eds.), *Fisheries Resources and their Management in Southeast Asia*. Berlin (West): German Foundation for International Development, Federal Research Board for Fisheries and FAO, 269-281.