















- [2] P. A. Eisenman. The influence of initial strength levels on responses to vertical jump training. *The Journal of sports medicine and physical fitness*, 18(3):277–282, 1978.
- [3] J. Dapena. Mechanics of translation in the fosbury-flop. *Medicine and Science in Sports and Exercise*, 12(1):37–44, 1980.
- [4] G. Trewartha S. Roberts and K. Stokes. A comparison of time–motion analysis methods for field-based sports. *International Journal of Sports Physiology and Performance*, 1(4):388–399, 2006.
- [5] A. Laputinand and I. V. Khmel'nitskaya. The changes within coordination structure of athletes' movements at various conditions of gravitation interactions. In *ISBS-Conference Proceedings Archive*, volume 1, 1996.
- [6] J. Dapena. The high jump.
- [7] J. C. C. Tan and M. R. Yeadon. Why do high jumpers use a curved approach? *Journal of sports sciences*, 23(8):775–780, 2005.
- [8] S. Iermakov V. M. Adashevskiy and A. Marchenko. Biomechanics aspects of technique of high jump. 2013.
- [9] C. Junqing. Prediction and dynamic model of high jump performance based on block growth model. *BioTechnology*, 8:1337–1342, 2013.
- [10] V. M. Adashevskiy. Teoreticheskie osnovy mekhaniki biosistem, 2001.
- [11] V. M. Adashevskiy. Metrologiia u sporti, 2010.
- [12] S.S. Iermakov. Obuchenie tekhnike udarnykh dvizhenij v sportivnykh igrakh. *Education technology shock movements in sports*, Kharkov, KSADA, 1996.
- [13] V. E. Chinko. Features of technical preparation of high jumpers from running. *Cand. Diss., Leningrad*, page 26, 1982.
- [14] J. Dapena. Scientific services project–high jump. *Biomechanics Laboratory, Dept. of kinesiology, Indiana University*. In <http://www.indiana.edu/~sportbm/home.html>, 2006.