

- [6] Eble JN, Guido S, Jonathan IE, Isabell AS. WHO Pathology and Genetics of Tumours of the Urinary System and Male Genital Organs. France: IARC Press; 2004. P.90-91, 93-94, 98-99, 101-103.
- [7] Cheng L, Lopez-Beltran A, MacLennan GT, Montironi R, Bostwick DG. Neoplasms of the urinary bladder. In Bostwick DG, Cheng L, editors. Urologic Surgical Pathology, Third Ed. Philadelphia: Elsevier Saunders; 2014. P.230-278.
- [8] Lugli A, Kirsch R, Ajioka Y, Bosman F, Cathomas G, Dawson H, *et al.* Recommendations for Reporting Tumor Budding in Colorectal Cancer based on the International Tumor Budding Consensus Conference (ITBCC) 2016. *Mod Pathol.* 2017;30:1299–1311.
- [9] Ammour KE, Bader M, Ahrens TD, Franke K, Timme S, Csanadi A, *et al.* From Follows Function: Morphological and Immunohistological Insights into Epithelial-Mesenchymal Transition Characteristics Of Tumor Buds. *Tumour Biology.* 2017;39(5):1-11. doi: 10.10428317705501.
- [10] Soriano LL, Jurado GO, Moreno JL, Castillo SV, Giron SH, Moreno IS, *et al.* Tumor Budding: Prognostic Value in Muscle-invasive Bladder Cancer. *Urology.* 2019;130: 93–98.
- [11] Choi W, Porten S, Kim S, Willis D, Plimack ER, Censits JH, *et al.* Identification of Distinct Basal and Luminal Subtypes of Muscle-Invasive Bladder Cancer with Different Sensitivities to Frontline Chemotherapy. *Cancer Cell.* 2014;25:152–165. Available from: doi: 10.1016/j.ccr.2014.01.009.
- [12] Fukumoto K, Kikuchi E, Mikami S, Ogihara K, Matsumoto K, Miyajima A, *et al.* Tumor Budding, a Novel Prognostic Indicator for Predicting Stage Progression in T1 Bladder Cancers. *Japanese Cancer Association.* 2016;107: 1338–1344.
- [13] Suren D, Yildirim HT, Atalay I, Sayiner A, Yildirim M, Alikanoglu AS, *et al.* HMGB1 expression in urothelial carcinoma of the bladder. *2018;23(6):1882-1886.*
- [14] Ahmed S, Mohammed H, Muhammad E. The Value Of Cd34 Expression In Squamous Cell Carcinoma And Urothelial Carcinoma Of The Urinary Bladder. *Ain Shams Medical Journal.* 2018;69(10):573-583.
- [15] Hashmi AA, Hussain ZF, Irfan M, Khan EY, Faridi N, Naqvi H, *et al.* Prognostic significance of epidermal growth factor receptor (EGFR) over expression in urothelial carcinoma of urinary bladder. *BCM Urology.* 2018;18(59):1-6.
- [16] Zhang B, Wu Z, Xie W, Tian D, Chen F, Qin C, Du Z, Tang G, Gao Q, Qiu X, Wu C, Tian J, Hu H. The expression of vasohibin-1 and its prognostic significance in bladder cancer. *Exp Ther Med.* 2017;14(4): 3477-84
- [17] Shariat SF, Sfakianos JP, Droller MJ, Karakiewicz PI, Meryn S, Bochner BH. The effect of age and gender on bladder cancer: a critical review of the literature. *BJU International.* 2010;105(3):300–308. Available from: doi:10.1111/j.1464-410x.2009.09076.x.
- [18] Santana SC, Souza MF, Amaral MEP. Divergent Differentiation and Variant Morphology In Invasive Urothelial Carcinomas-Association With Muscle-Invasive Disease. *Surg Exp Pathol.* 2020;14. Available from: <https://doi.org/10.1186/s42047-020-00066-z>
- [19] Shah RB, Montgomery JS, Montie JE, Kunju LP. Variant (divergent) histologic differentiation in urothelial carcinoma is under-recognized in community practice: Impact of mandatory central pathology review at a large referral hospital. *Urologic Oncology: Seminars and Original Investigations.* 2013;31(8):1650-1655.
- [20] Kassouf W, Agarwal PK, Grossman HB. Outcome of patients with bladder cancer with pN disease after preoperative chemotherapy and radical cystectomy. *Urology.* 2009;73:147-52.
- [21] Choi JW, Kim Y, Lee JH, Kim YS. CD74 expression is increased in high-grade, invasive urothelial carcinoma of the bladder. *International Journal of Urology.* 2012;20(2):251–255. Available from: doi:10.1111/j.1442-2042.2012.03128.x
- [22] Messer J, Shariat SF, Brien JC, Herman MP, Ng CK, Scherr DS, *et al.* Urinary cytology has a poor performance for predicting invasive or high-grade upper-tract urothelial carcinoma. *BJU International.* 2011;108:701-705. Available from: <https://doi.org/10.1111/j.1464-410X.2010.09899.x>
- [23] Li Q, Tang J, He E, Li Y, Zhou Y, Wang B. Differentiation between high- and low-grade urothelial carcinomas using contrast enhanced ultrasound. *Oncotarget.* 2017;8(41):70883-70889.
- [24] Jimenez, Rafael EMD, Gheiler, Edward MD, Oskanian, Peter MD, *et al.* Grading the Invasive Component of Urothelial Carcinoma of the Bladder and Its Relationship with Progression-Free Survival. *The American Journal of Surgical Pathology.* 2000;24(7):980-987.
- [25] Legesse T, Matoso A, Epstein JI. PAX8 Positivity in Nested Variant Of Urothelial Carcinoma: A Potential Diagnostic Pitfall. *Human Pathology.* 2019;9(12). Available from: doi:10.1016/j.humpath.
- [26] Yoo Y, Lee J, Park HS, Cho MS, Sung SH, Park S, *et al.* Histologically confirmed distant metastatic urothelial carcinoma from the urinary bladder: a retrospective review of one institution's 20-year experience. *Journal of Pathology and Translational Medicine.* 2020;1-8. Available from: <https://doi.org/10.4132/jptm.2020.10.19>.
- [27] Yoneda K, Kamiya N, Utsumi T, Wakai K, Oka R, Endo T, *et al.* Impact of Lymphovascular Invasion on Prognosis in the Patients with Bladder Cancer—Comparison of Transurethral Resection and Radical Cystectomy. *MDPI Journal Diagnostics.* 2021;11(244):2-10. Available from: <https://doi.org/10.3390/diagnostics11020244>.
- [28] Mathieu R, Lucca I, Roupert M, Briganti A, Shariat SF. The prognostic role of lymphovascular invasion in urothelial carcinoma of the bladder. *Nature Reviews Urology.* 2016;13(8):471–479. Available from: doi:10.1038/nrurol.2016.126.
- [29] Tilki D, Shariat SF, Lotan Y, Rink M, Karakiewicz PI, Schoenberg MP, *et al.* Lymphovascular invasion is independently associated with bladder cancer recurrence and survival in patients with final stage T1 disease and negative lymph nodes after radical cystectomy. *BJU International.* 2012;111:1215–1221. Available from: doi:10.1111/j.1464-410X.2012.11455.x.
- [30] Muppa P, Gupta S, Frank I, Boorjian SA, Karnes RJ, Thompson RH, *et al.* Prognostic significance of lymphatic, vascular and perineural invasion for bladder cancer patients treated by radical cystectomy. *Pathology.* 2017;49(3):259-266. Available from: doi:10.1016/j.pathol.2016.12.347
- [31] Chen SH, Zhang BY, Zhou B, Zhu CZ, Sun LQ, Feng YJ, *et al.* Perineural invasion of cancer: a complex crosstalk between cells and molecules in the perineural niche. *Am J Cancer Res.* 2019;9(1):1-21.
- [32] Jesinghaus M, Boxberg M, Konukiewicz B, Huspenina J, Schlitter AM, Steiger K, *et al.* A Novel Grading System Based on Tumor Budding and Cell Nest Size Is a Strong Predictor of Patient Outcome in Esophageal Squamous Cell Carcinoma. *The American Journal of Surgical Pathology.* 2017;41(8):1112–1120. Available from: doi:10.1097/pas.0000000000000865
- [33] Lugli A, Zlobec I, Berger MD, Kirsch R, Nagtegaal ID. Tumor Budding in Solid Cancers. *Nature Reviews Clinical Oncology.* 2020. doi:10.1038/s41571-020-0422-y.

AUTHORS

First author- dr. Rahayu Asih Putri, Resident of the Department of Anatomical Pathology, Faculty of Medicine, Universitas Sumatera Utara, Medan, Indonesia, **email ID:** rahayuasihputri@yahoo.co.id.

Second Author- Dr. dr. Lidya Imelda Laksmi, M.Ked (PA), Sp.PA. Department of Anatomical Pathology, Faculty of Medicine, Universitas Sumatera Utara, Medan, Indonesia.

Third author- Dr. dr. Delyuzar, M.Ked (PA), Sp.PA(K), Department of Anatomical Pathology, Faculty of Medicine, Universitas Sumatera Utara, Medan, Indonesia.

Correspondence Author- Dr. dr. Lidya Imelda Laksmi, M.Ked (PA) Sp.PA Department of Anatomical Pathology, Faculty of Medicine, Universitas Sumatera Utara, Medan, Indonesia, **email ID:**lidyaimelda76@gmail.com