Mission The Red Land Mars

Saif Nizar, Maheen Muzzaffer
https://orcid.org/0009-0002-7595-2121
https://orcid.org/0009-0002-1513-6106

DOI: 10.29322/IJSRP.16.11.2026.p17903
https://dx.doi.org/10.29322/IJSRP.16.11.2026.p17903

Paper Received Date: 15th September 2026
Paper Acceptance Date: 18th October 2026
Paper Publication Date: 8th November 2026

Abstract:
Mars represents an important planetary environment for investigating habitability, environmental processes, and potential bio-signatures associated with extraterrestrial life. This theoretical study proposes a conceptual eco-friendly satellite designed to support the investigation of Martian atmospheric conditions, subsurface-water chemistry, and potential biological indicators. The proposed satellite integrates sustainable aerospace design with astrobiological exploration through a range of scientific and observational instruments, including imaging systems, spectrometers, atmospheric sensors, sounders, and navigation cameras.

The proposed platform incorporates a lightweight structural concept utilizing polyethylene and aluminum-based materials, with a fibre-reinforced composite approach intended to improve structural performance while reducing overall mass. The design also considers the challenges associated with the Martian environment, including exposure to cosmic radiation and prolonged mission conditions. Conceptual radiation-shielding and self-repair mechanisms are proposed to improve structural resilience; however, these features require experimental validation before they can be considered technically validated for spaceflight applications.

By integrating sustainable satellite engineering with planetary science and astrobiological investigation, the study aims to demonstrate how environmentally conscious aerospace technologies could contribute to future Mars exploration. The proposed design is intended to support the observation and analysis of Martian environmental conditions and potential bio-signatures while promoting sustainable approaches to space exploration.

Index Terms:

Mars; astrobiology; Martian exploration; satellite technology; bio-signatures; microbial life; subsurface water; sustainable aerospace; eco-friendly satellite; planetary habitability

INTRODUCTION

Mars is one of the most extensively studied planetary bodies in the search for environments that may have supported or could potentially support biological processes beyond Earth. Its geological history, atmospheric characteristics, evidence of ancient water activity, and potentially habitable environments make the planet an important target for planetary and astrobiological research. Investigating these characteristics requires the integration of multiple scientific approaches, including atmospheric analysis, surface and subsurface observations, mineralogical investigations, and the identification of potential biosignatures.

Sustainable approaches to space exploration have also become increasingly important because conventional aerospace systems rely on specialized materials and manufacturing processes that can have substantial environmental and resource implications. In this context, the development of eco-friendly satellite concepts may provide an opportunity to explore alternative structural materials and sustainable engineering approaches while maintaining the scientific objectives of planetary exploration.

This theoretical study presents a conceptual eco-friendly satellite design developed in Pakistan for supporting future Martian exploration. The concept is inspired, in part, by previous Mars exploration missions, including India's Mars Orbiter Mission (Mangalyaan), while extending the focus toward the integration of sustainable satellite engineering and astrobiological investigation. The proposed platform is designed to investigate Martian environmental conditions, including atmospheric characteristics and potential indicators associated with habitability and biological processes.

The proposed satellite incorporates multiple scientific and observational systems intended to facilitate the collection and analysis of environmental information from Mars. These include imaging systems, spectrometers, atmospheric sensors, sounders, and navigation cameras. Collectively, these instruments are conceptually intended to support the investigation of the Martian atmosphere, surface environment, and potential biological or geochemical signatures relevant to astrobiological research.

In addition to its scientific objectives, the proposed design addresses sustainability through the conceptual use of alternative materials and lightweight structural approaches. The satellite

This publication is licensed under Creative Commons Attribution CC BY.

structure incorporates polyethylene and aluminum-based materials, with a fibre-reinforced composite concept proposed to improve structural properties while reducing overall mass. The design also considers environmental challenges associated with long-duration Martian missions, particularly exposure to cosmic radiation and the need for enhanced structural durability.

Because the proposed satellite is a theoretical and conceptual design, its proposed technologies and structural mechanisms should not be interpreted as experimentally validated systems. In particular, the proposed radiation-shielding and self-repair concepts require experimental testing, engineering analysis, and space-environment validation before practical implementation. Therefore, this study focuses on the conceptual integration of sustainable satellite engineering and astrobiological exploration rather than claiming a flight-ready or experimentally validated spacecraft.

The overall objective of this research is to demonstrate how sustainable aerospace engineering can be integrated with planetary exploration to support future investigations of Martian habitability and potential biosignatures. Through the proposed satellite architecture, the study explores a multidisciplinary approach combining astrobiology, satellite-based observation, materials engineering, environmental sustainability, and planetary science.

3. Research Methodology

3.1 Research Design

This study adopted a **theoretical and conceptual research methodology** for the development of the proposed **MTRL-786 eco-friendly Mars exploration satellite**. The research integrates concepts from sustainable aerospace engineering, composite materials, planetary science, astrobiology, and satellite technology. The methodology focused on the conceptual selection of sustainable structural materials, development of the proposed satellite architecture, integration of scientific instruments, and consideration of protective technologies suitable for a Mars-oriented mission.

As no physical prototype was fabricated and no laboratory or flight testing was conducted during the present study, the proposed material properties, radiation-shielding mechanisms, and self-repairing structural system are presented as **conceptual propositions requiring computational and experimental validation**.

3.2 Material Selection and Sustainability Concept

A major component of the research methodology involved investigating the potential use of **polythene and aluminum** as materials for a sustainable satellite structure. Polythene was considered because of the large quantity of plastic waste generated globally and its potential for reuse in advanced engineering applications. Aluminum was incorporated as a lightweight metallic structural component.

The proposed combination aims to develop a **thin, lightweight, and potentially durable polymer–metal composite sheet**. The conceptual approach seeks to explore how waste-derived polymeric materials could potentially be incorporated into aerospace structures while supporting principles of **resource efficiency, material sustainability, and responsible innovation**.

3.3 Proposed Polymer–Metal Composite Reinforcement Approach

The proposed structural material utilizes a **polythene–aluminum composite configuration** in which the polymeric and metallic components are conceptually integrated to improve the overall structural characteristics of the satellite body. A fiber-reinforced metal/composite reinforcement approach is also considered as a potential pathway for further improving structural integrity and mechanical performance while maintaining low structural mass.

At the present stage, this approach remains **theoretical and conceptual**. Specific material ratios, fabrication parameters, bonding conditions, mechanical properties, and reinforcement efficiencies have not been experimentally determined. Therefore, any anticipated improvement in strength, durability, or mass efficiency should be considered a research hypothesis requiring future material characterization and laboratory testing.

3.4 Conceptual Development of the MTR-786 Satellite

Following the material-selection framework, the proposed MTRL-786 satellite architecture was developed to integrate the sustainable structural concept with the functional requirements of a Mars exploration mission.

The proposed satellite incorporates several essential components, including **solar panels, antennas, satellite housing, transponders, thrusters, and spectral and imaging cameras**. Additional scientific and navigational instruments include **wide-angle cameras, front-view cameras, atmospheric sounders, spectrometers, and navigation cameras**.

These components were conceptually organized according to their intended functions in **power generation, communication, navigation, propulsion, environmental observation, imaging, spectroscopy, and scientific investigation**.

3.5 Scientific and Astrobiological Research Framework

The scientific payload of the MTR-786 was designed around the investigation of the **Martian environment and potential habitability**. Imaging systems are proposed for the observation of the Martian surface, while spectrometers and sounders are intended to support the investigation of atmospheric and surface characteristics.

The conceptual framework also incorporates a **microbial research component** to support investigations related to potential biological signatures and the possibility of life-associated

This publication is licensed under Creative Commons Attribution CC BY.

processes on Mars. These proposed investigations are intended to connect satellite-based observations with broader research objectives in **astrobiology, planetary science, and Mars exploration**.

3.6 Proposed Radiation-Shielding System

Because the proposed mission involves Mars exploration and exposure to the space radiation environment, the conceptual design incorporates **electromagnetic and/or magnetic shielding elements** as a proposed strategy for reducing radiation exposure to sensitive satellite components.

The effectiveness of such shielding would depend on several factors, including radiation type, energy spectrum, intensity, shielding configuration, and material properties. Consequently, the proposed radiation-shielding system has **not been presented as an experimentally validated technology**. Computational radiation-transport modelling and experimental testing would be required to assess its actual effectiveness.

3.7 Proposed Self-Repairing Structural System

A **self-repairing structural system** was incorporated into the conceptual architecture to explore the possibility of improving structural resilience and long-duration mission durability. The proposed system is intended to address minor structural damage and material degradation that could potentially occur during an extended space mission.

However, the self-repair mechanism remains a **theoretical design proposition** within the present study. Its feasibility would require material-level research, prototype development, controlled laboratory testing, and environmental qualification before any conclusions regarding its practical aerospace application could be established.

3.8 Graphical and Functional Analysis

The proposed satellite architecture was further examined through **graphical representation of its major subsystems and scientific instruments**. The graphical analysis was used to demonstrate the distribution and functional organization of the proposed satellite components.

The analysis provides a visual representation of the relationship between the satellite's **scientific payload, power systems, communication systems, propulsion, navigation, and structural components**. The resulting figures are intended to support qualitative interpretation of the conceptual architecture rather than represent experimentally measured engineering performance.

3.9 Proposed Validation Framework

Since the current research represents a theoretical and conceptual investigation, experimental validation remains a future stage of the project. The proposed validation framework would include **material characterization, structural analysis, thermal and mechanical simulations, radiation-transport modelling, prototype fabrication, and controlled laboratory testing**.

Future experimental studies could investigate tensile strength, compressive strength, thermal stability, impact resistance, structural durability, radiation attenuation, and the feasibility of the proposed self-repair mechanism. These investigations would provide the quantitative evidence necessary to determine whether the proposed material and structural concepts could be developed toward practical aerospace applications.

4. Research Elaboration: Conceptual Design of the MTRL-786 Eco-Friendly Satellite

This theoretical study proposes the **MTRL-786**, an eco-conscious satellite concept developed in Pakistan, with the objective of addressing environmental challenges associated with plastic waste while exploring sustainable approaches to aerospace engineering. The proposed satellite structure incorporates **polythene and aluminum** to form a thin, lightweight, and potentially durable composite material.

The proposed design seeks to integrate sustainable structural materials with the functional requirements of a Mars exploration platform. Through the incorporation of scientific instrumentation, communication systems, power-generation units, propulsion, navigation, and proposed protective technologies, the MTRL-786 provides a multidisciplinary conceptual framework for planetary exploration.

A further objective of the MTR-786 concept is to explore the **circular use of locally available plastic waste** in advanced engineering applications. By investigating the incorporation of recycled polymeric materials into composite structures, the proposed design seeks to explore how materials conventionally regarded as environmental waste could potentially be repurposed for high-value technological applications.

As a Mars-oriented concept, the design also considers exposure to **ionizing and cosmic radiation**. Proposed electromagnetic and/or magnetic shielding elements are incorporated as potential protective measures. Similarly, a self-repairing structural system is proposed to enhance resilience during extended missions. Both features remain conceptual and require experimental validation.

Through the integration of sustainable structural materials, proposed protective technologies, and scientific instrumentation, the MTRL-786 concept seeks to establish a multidisciplinary

This publication is licensed under Creative Commons Attribution CC BY.

framework connecting **sustainable aerospace engineering, astrobiology, planetary science, and space exploration**.

The proposed design should therefore be regarded as a **preliminary conceptual model rather than a validated flight-ready satellite architecture**. Future development could involve computational modelling, material characterization, prototype fabrication, and controlled laboratory testing to evaluate the feasibility, limitations, and optimization requirements of the proposed materials and subsystems.



(Disclaimer: This image is based solely on a conceptual understanding of the proposed design and is intended for illustrative purposes only.)

This publication is licensed under Creative Commons Attribution CC BY.

5.Findings

The graphical representation of the MTRL-786 architecture demonstrates the integration of multiple functional categories, including **scientific payloads, power and energy systems, communication, propulsion, navigation, and structural protection**. The scientific payload represents the most prominent functional category in the conceptual architecture, reflecting the central role of environmental and astrobiological investigation within the proposed mission.

The scientific instrumentation further demonstrates an emphasis on **imaging and camera-based observation**, supported by spectroscopy, atmospheric/subsurface sensing, microbial research, and navigation/tracking capabilities. These complementary instruments are conceptually intended to facilitate the observation and characterization of the Martian environment and conditions relevant to potential habitability.




Figure 1. Functional distribution of the proposed MTRL-786 subsystems.



This publication is licensed under Creative Commons Attribution CC BY.




Figure 2. Scientific instrumentation proposed for the MTRL-786 mission.

Important: The numerical values in these graphs represent the number of explicitly identified component groups in your conceptual design; they are **not experimental measurements or performance values**.

Results

Mission The Red Land Mars presents a conceptual approach to integrating sustainable aerospace design, astrobiology, and environmental research for future Mars exploration. The proposed use of recycled polythene and aluminum in satellite construction highlights a potential direction for exploring waste-reduction strategies in aerospace materials. Furthermore, the astrobiology framework and conceptual rover design provide a basis for investigating Martian environmental conditions, analyzing soil, and exploring potential indicators of microbial life.

The research demonstrates how interdisciplinary concepts can be combined to address challenges related to space exploration and environmental sustainability. However, the proposed designs and technologies require further scientific investigation, engineering simulations, and experimental validation before their practical feasibility can be established. Future research should focus on testing the proposed composite materials, evaluating structural durability and radiation protection, and assessing the capabilities of the satellite and rover systems. Ultimately, this conceptual study provides a foundation for further research into sustainable technologies and the scientific exploration of Mars.

Conclusion

The research developed a conceptual framework for Mission **The Red Land Mars**, integrating sustainable satellite design, astrobiology, and an eco-friendly Mars rover. The proposed satellite design explored the potential use of recycled polythene and aluminum-based composite materials as an approach to reducing plastic waste while supporting sustainable aerospace innovation.

The astrobiology phase focused on examining Martian atmospheric conditions, the potential presence of water-related chemical processes, and possible biological indicators that could help investigate the possibility of life on Mars. The rover concept further extended this framework by proposing soil analysis, sample collection, and the study of environmental conditions relevant to microbial survival and future exploration.

The overall research connected environmental sustainability with planetary exploration through a multidisciplinary conceptual model. It identified potential directions for investigating recyclable materials in spacecraft design and studying the Martian environment for possible signs of life. However, the satellite and rover designs remain theoretical. Their structural strength, radiation-protection capabilities, material performance, and scientific instruments have not been experimentally validated. Further laboratory testing, material analysis, engineering simulations, and scientific assessment are required to determine their feasibility for practical Mars exploration.

ACKNOWLEDGMENT

Mohammad Misbahullah Qureshi.
m_misbahullah@yahoo.com, mohammad.misbah@akesp.org
MSc (Space Physics) from KU, MS (Material Science) from NED, DAE (Electrical) from SEZIT, BEd from Virtual University, OCP （Online from Australia）

Muhammad Asim Ahmed
asim.5a9i@gmail.com
M.Sc Applied Physics
B. Ed (educational psychology)

Farida Mubashir
Senior Biology Instructor, AKHSS Karachi
farida.mubashir@akesp.org

REFERENCES

[1] C. M. Carlisle, “Curiosity Finds Methane, Other Organics,” *Sky & Telescope*, Dec. 17, 2014. [Online]. Available: https://skyandtelescope.org/astronomy-news/curiosity-finds-methane-organics-on-mars-1217201423/

[2] NASA, “Mars Facts,” *NASA Science*. [Online]. Available: https://science.nasa.gov/mars/facts/

[3] The Planetary Society, “Mars, the Red Planet.” [Online]. Available: https://www.planetary.org/worlds/mars

[4] Space.com, “Mars: The Red Planet, Fourth Planet from the Sun.” [Online]. Available: https://www.space.com/47-mars-the-red-planet-fourth-planet-from-the-sun.html

[5] NASA, “Team Assessing SHERLOC Instrument on NASA’s Perseverance Rover,” Feb. 13, 2024. [Online]. Available:

This publication is licensed under Creative Commons Attribution CC BY.

https://www.nasa.gov/missions/mars-2020-perseverance/team-assessing-sherloc-instrument-on-nasas-perseverance-rover/

AUTHORS

First Author – **Saif Nizar**, pre- med student, The Aga Khan Higher Secondary School Karachi saifpopatia5@gmail.com
Second Author – **Maheen Muzzaffer,** pre-med student, The Aga Khan Higher Secondary School Karachi

Maheenmuzzaffer@gmail.com

This publication is licensed under Creative Commons Attribution CC BY.